



TOPODRONE
AFFORDABLE ACCURACY



TOPODRONE LR1 PPK

- 3-axis gimbal for Sony ILX-LR1 camera
- The most advanced GNSS chip UM982
- 1408 channels
- PPK mode
- Protected aluminum case
- High accuracy and performance
- Data recording on microSD
- DJI Matrice 350 / 300 RTK support.



The TOPODRONE LR1 PPK GNSS receiver is designed for obtaining high-precision coordinates and fully integrated with the Sony ILX-LR1 camera, has its own built-in Linux-based computer with DJI PSDK support, and allows you to change settings and control the camera while performing aerial surveys. TOPODRONE DUAL PPK comes with TOPODRONE Post Processing Pro software for data processing. DJI Matrice 350 / 300 RTK support.

Specification

GNSS

Receiver type	PPK
Number of channels	1408
GNSS data recording frequency	20 Hz
Accuracy	3-5 cm
GPS support	L1C/A, L2C, L1C, L2P (Y), L5
GLONASS support	L1, L2, L3
BeiDou support	B1I, B2I, B3I, B1C, B2a, B2b
Galileo support	E1, E5b, E5a, E6
SBAS support	L1C/A
QZSS support	L1, L2, L5
Work without reference points	Yes
PPK operation	Yes
Recording GNSS data to microSD	Yes



TOPODRONE SA
+41 21 588 02 11
info@topodrone.com
topodrone.com
Rue de la Gare 13, 1820 Montreux, Switzerland